

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-4 (Cancelled)

5. (Previously Presented) The wireless communications kit of claim 28, wherein the leg is frictionally fit within the slot.

6. (Previously Presented) The wireless communications kit of claim 28, wherein the leg includes an upper portion and a lower portion slightly transposed from the upper portion.

7. (Canceled)

8. (Currently amended) The wireless communications kit of claim 28 ~~7~~, wherein the leg includes a series of protuberances.

9. (Previously Presented) The wireless communications kit of claim 28, wherein the mount includes a magnet secured to the housing.

10. (Original) The wireless communications kit of claim 9, wherein the first and second attachments include a magnetically permeable mount portion shaped to be seatable on the mount.

Claims 11- 16 (Canceled)

17. (Previously Presented) The wireless communications kit of claim 28, wherein the mount comprises a post having a free end extending from the housing of the communication headset.

18. (Original) The wireless communications kit of claim 17, wherein the first and second attachments include a downwardly dependent leg shaped and sized for receipt about the post so as to secure the leg to the post.
19. (Original) The wireless communications kit of claim 18, wherein the leg is frictionally fit about the post.
20. (Canceled)
21. (Original) The wireless communications kit of claim 18, wherein the post includes an inner channel having a bent portion for receiving the leg .
22. (Previously Presented) The wireless communications kit of claim 28 further comprising a transceiver connectable to a communications jack on the cellular telephone by wires, the communications circuitry within the communications headset communicating in a wireless manner with the transceiver.
23. (Original) The wireless communications kit of claim 22, further comprising a fastener on each of the transceiver and the cellular telephone that secures the transceiver and the cellular telephone together.

Claims 24 - 27 (Cancelled)

28. (Currently Amended) A wireless communications kit for use with a cellular telephone, comprising:
- a communications headset having a mount;
 - a housing attached to the mount, the housing including a microphone, a speaker, a rechargeable battery and communications circuitry therein, the microphone and speaker being in

communication with the cellular telephone, the communications circuitry having the microphone as an input and the speaker as an output;

wherein the mount comprises a slot through the housing and wherein the slot includes a series of constrictions;

a first attachment shaped to secure itself to the mount and configured to seat itself about an ear of a user; and

a second attachment shaped to secure itself to the mount and including a top portion arranged to attach to a temple member of a pair of glasses,

wherein the first and second attachments include a downwardly dependent leg shaped and sized for receipt in the slot and wherein the leg includes a protuberance, the protuberance being urged past the series of constrictions upon insertion and withdrawal of the leg and wherein each constriction individually secures the attachment from separation from the housing of the communication headset.

29. (Canceled)

30. (New) A wireless communications kit for use with a cellular telephone, comprising:

a communications headset having a mount;

a housing attached to the mount, the housing including a microphone, a speaker, a rechargeable battery and communications circuitry therein, the microphone and speaker being in communication with the cellular telephone, the communications circuitry having the microphone as an input and the speaker as an output;

wherein the mount comprises a post having a free end extending from the housing of the communication headset;

a first attachment shaped to secure itself to the mount and configured to seat itself about an ear of a user; and

a second attachment shaped to secure itself to the mount and including a top portion arranged to attach to a temple member of a pair of glasses,

wherein the first and second attachments include a downwardly dependent leg shaped and sized for receipt about the post so as to secure the leg to the post,

wherein the post includes a series of protuberances and the leg includes a protuberance, the protuberance being urged past the series of protuberances upon placement of the leg about the post, and wherein each protuberance individually secures the attachment from separation from the housing of the communication headset.